# Remainder of Lot 240 Kapaa Homesteads, 4th Series, Kapaa, Puna, Kauai

Grant 16616 to Mrs.) Rose K. Oneha 23 April 1938

file in Carton 15

Furnished Land Office July 6, 1938

Jee CSF 8682



#### TERRITORY OF HAWAII

SURVEY DEPARTMENT

HONOLULU

July 5, 1938

Remainder of Lot 240
Kapaa Homesteads, 4th Series
Kapaa, Puna, Kauai

C.S.F.Nc

Being portion of Grant 10610 to Rose K. Oneha

Beginning at a 1-1/2 inch galvanized iron pipe at the south corner of this lot called "Rice", the coordinates of said point of beginning referred to Government Survey Triangulation Station "Nonou" being 6996.1 feet North and 8534.3 feet East, as shown on Government Survey Registered Map 2583 and running by azimuths measured clockwise from True South:-

				-	-
az	lmuths	measu	red clocky	vise	from True South:-
1.	145°	041	<b>3</b> 02.80 f	eet	along north side of road to a 1-1/2 inch galvanized iron pipe;
2.	102°	471	232.50 f	eet	along north side of road to a 1-1/2 inch galvanized iron pipe;
3.	178°	361	<b>79.</b> 00 f	eet	along east side of ditch to a 1-1/2 inch galvanized iron pipe;
4.	160°	16'	210.40 f	eet	along east side of ditch to a 1-1/2 inch galvanized iron pipe;
5.	91°	17'	104.30 f	eet'	along north side of ditch to a 1-1/2 inch galvanized iron pipe;
6.	113°	541	18 <b>3.3</b> 0 f	eet.	along north side of Kaehulua Road to a 1-1/2 inch galvanized iron pipe;
7.	143°	49!	112.50 f	eet	along north side of Kaehulua Road to a 1-1/2 inch galvanized iron pipe;
8.	172°	251	<b>31</b> 8.80 f	eet	along east side of Kaehulua Road to a 1-1/2 inch galvanized iron pipe;
9.	213°	43 !	· 234.20 f	eet	along east side of Kaehulua Road to a 1-1/2 inch galvanized iron pipe;
10.	189°	41'	480.51 f	eet	along east side of Kaehulua Road;
11.	316°	15'	659.97 f	eet	along the new south side of Apopo Road;

C.S.F.No. \_\_\_\_\_

July 5, 1938

- 13. 355° 11' 180.75 feet along the new south side of Apopo Road;
- 14. Thence along same on a curve to the left with a radius of 120.0 feet, the chord azimuth and distance being 330° 09' 101.55 feet;
- 15. 305° 07' 119.89 feet along the new south side of Apopo Road;
- 16. 308° 02' 30" 147.94 feet along same;
- 17. 311° 27' 97.87 feet along same;
- 18. Thence along same on a curve to the right with a radius of 100.0 feet, the chord azimuth and distance being 327° 09' 54.12 feet;
- 19. 342° 51' 382.36 feet along the new south side of Apopo Road;
- 20. 47° 53' 446.91 feet along Lot 2-A, Kapaa Rice and Kula Lots to the point of beginning.

## AREA 21.62 ACRES

Compiled from data fur. by the Kauai County Engr. & from Govt.Survey records, by

18: 1 20:

Assistant Cadastral Engineer

bkp

17. 18 18 18 Area coords.

(call BE 15, Pg. 143) N.H. N. A.H. 16/3x



#### TERRITORY OF HAWAII

SURVEY DEPARTMENT

HONOLULU

July 2, 1938

C.S.F.No. 8682

## Apopo Road Realignment

John S. Perry and wife to Territory of Hawaii

Portion of Grant 10610 to Rose K. Oneha

Being portion of Lot 240, Kapaa Homesteads, 4th Series

Kapaa, Puna, Kauai

Beginning at the south corner of this parcel of land, on the southeast boundary of Grant 10610 to Rose K. Oneha, and at an angle in the new south side of Apopo Road, the coordinates of said point of beginning referred to Government Survey Triangulation Station "Nonou" being 7295.8 feet North and 8865.8 feet East, as shown on Government Survey Registered Map 2583, and running by azimuths measured clockwise from True South:-

Along the new south side of Apopo Road along the remainder of Grant 10610 to Rose R. Oneha for the first nine (9) courses as follows:

- 1. 162° 51' 382.36 feet;
- 2. Thence on a curve to the left, with a radius of 100.0 feet, the chord azimuth and distance being 147° 09° 54.12 feet;
- 3. 131° 27' 97.87 feet;
- 4. 128° 02' 30" 147.94 feet;
- 5. 125° 07' 119.89 feet;
- 6. Thence on a curve to the right, with a radius of 120.00 feet, the chord azimuth and distance being 150° 09' 101.55 feet;
- 7. 175° 11' 180.75 feet;
- 8. Thence on a curve to the left, with a radius of 80.0 feet, the chord azimuth and distance being 155° 43' 53.32 feet;
- 9. 136° 15' 659.97 feet; thence
- 10. 189° 41' 38.99 feet along the east side of Kachulua Road;

0.5	.F.No.	<u>8682</u>		- 2 - July 2, 1938
11.	3170	07 *	709.80	feet along the old south side of Apopo Road;
12.	<b>3</b> 55°	22'	258.40	feet along same;
13.	<b>3</b> 08°	441	449.60	feet along same;
14.	343°	331	420,40	feet along same;
15.	470	531	8.29	feet along Lot 2-A, Kapaa Rice and Kula Lots to the point of beginning.

AREA 32,060 SQUARE FEET or 0.76 ACRE

Compiled from data fur. by Kauai Cty. Engr. & from Govt. Survey records, by

James M. Dunn Assistant Cadastral Engineer

bkp